


**DETERMINATION OF HEAVY METAL (MERCURY, ARSENIC,
LEAD, NICKEL AND CADMIUM) WASTE WATER NEAR
FACTORIES IN MERU TOWNSHIP, KLANG**

NUR HAFIZAH BTE MOHD DON

**Final Year Project Report Submitted in
Partial Fulfilment of the Requirements for the
Degree of Bachelor of Science (Hons.) Applied Chemistry
in the Faculty of Applied Sciences
Universiti Teknologi MARA**

NOVEMBER 2008

This Final Year Project entitled “**Determination of Heavy Metal (Mercury, Arsenic, Lead, Nickel and Cadmium) in Waste Water Near Factories in Meru Township, Klang**” was submitted by Nur Hafizah Bte Mohd Don, in partial fulfillment of the requirements for Degree of Bachelor of Science (Hons.) Applied Chemistry, in the Faculty of Applied Science and was approved by



Prof Madya Dr Hj Zaini b. Hamzah
Supervisor
B. Sc. (Hons.) Applied Chemistry
Faculty of Applied Sciences
Universiti Teknologi MARA



Miss Sabrina Bte M. Yahaya
Project Coordinator
B.Sc (Hons.) Applied Chemistry
Faculty of Applied Sciences
Universiti Teknologi MARA



Dr. Yusairie Bin Mohd
Head of Programme
B.Sc (Hons.) Applied Chemistry
Faculty of Applied Sciences
Universiti Teknologi MARA

Date: 1/12/08

ACKNOWLEDGEMENTS

Alhamdulillah with the grace of Allah swt for at last I managed to complete my thesis. I would like to express my special thanks to all person who have contribute their invaluable assistance, cooperation's and support towards the construction of this thesis.

First of all, I wish to express my sincere thanks and gratitude to the coordinator of CMT679 that is Miss Sabrina bin Yahya who that kindly given me useful information about the preparation of this thesis. I would like to express my deep sense of gratitude and appreciation to my supervisor, Prof Madya Dr Hj Zaini B Hj Hamzah who guide me in finding information and helping me in writing this thesis.

Lastly, I would like this opportunity to express my enormous gratitude to all people who have whether directly or indirectly involved in completing this thesis.

Nur Hafizah Bte Mohd Don

TABLE OF CONTENTS

	Page
ACKNOWLEDGEMENTS	i
TABLE OF CONTENTS	ii
LIST OF TABLES	vii
LIST OF FIGURES	viii
ABSTRACT	x
ABSTRAK	xi
CHAPTER 1 INTRODUCTION	
1.1 Introduction	1
1.2 Objective	2
1.3 Scope of work	2
CHAPTER 2 LITERATURE REVIEW	
2.1 Heavy Metal	3
2.1.1 Relationship to living organisms	3
2.1.2 Sources	4
2.2 Wastewater	5
2.2.1 Residential Wastewater	5
2.2.2 Non-residential Wastewater	6
2.3 Lead	8
2.3.1 History	8
2.3.2 Isotopes	9
2.3.3 Occurrence	9

ABSTRACT

DETERMINATION OF HEAVY METAL (MERCURY, ARSENIC, LEAD, NICKEL AND CADMIUM) WASTE WATER NEAR FACTORIES IN MERU TOWNSHIP, KLANG.

Meru township area, Klang was chosen for study of the heavy metals and WQI in waste water may be released by the nearby factories. In this area, there are large proportion of the pollution may arises from the production waste during the factories processing. The objective of this study is to determine critical parameter in waste water near the factories which are pH, SS, COD, DO, BOD, and Ammoniacal Nitrogen, to ensure the waste water fulfilled the standard set by DOE Malaysia and to determine the WQI in the waste water near the factories. The concentrations of heavy metals (Hg, As, Pb, Ni and Cd) in water were investigated. Twenty five samples of water were collected from different location in Meru Township, Klang. In-situ measurements were done using hydrolab for five parameters i.e. pH, Temperature, Turbidity, Dissolved Oxygen and Ammoniacal Nitrogen. The water samples were then analyzed using Atomic Absorption Spectrometer (AAS) and Inductively Coupled Plasma Optical Emission Spectrophotometer (ICP). Water Quality Index was also calculated based on six parameters determine in the water sample. The results show that Meru Township, Klang can be considered polluted because it has the higher concentrations of BOD and COD. The results than referred and compared to the Environment Quality Act 1974 (Sewage and Industrial Effluent) Regulations 1979. Out of five metals that had been investigated, Pb, Hg and Cd concentrations are over the Limit Effluent Discharge Standard. Ni and As concentrations are below the Limit Effluent Discharge Standard. The highest concentration of metal in the water effluent is Pb 8.932 ppm followed by Cd 1.182 ppm, Ni 0.101ppm, Hg 81 ppb, and lastly As 26 ppb.